



PRODUCT SPECIFICATIONS

Daily Production Rates:	600 GPD
Recovery Rate:	1:4 Product Waste
Nominal Salt Rejection:	98%
Operating Pressure:	120 PSI
Operating Temperature:	40 - 100°F
Water Hardness:	< 120 PPM (7 GPG)
Ph Range:	3 - 11
TDS:	< 1500 PPM
Dimensions:	13" x 28" x 25"

INSTALLATION GUIDELINES

WARNING: READ THESE INSTRUCTIONS BEFORE CHANGING OR INSTALLING. FOLLOW THESE INSTRUCTIONS TO REDUCE RISK OF DANGER.

CRITICAL: This is a point-of-entry system for both residential and commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications.

CRITICAL: This is a point-of-entry system for both residential and commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications.

WARNING: This is a point-of-entry system for both residential and commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications. The design of this filter is for residential applications. It is not designed for commercial applications. Do not use this system for commercial applications.

PRODUCT FEATURES

- Light weight, heavy duty powder coated aluminum frame.
- Assembled with NSF Certified Filters, Tubing, Fittings and Membrane.
- Space saving design.
- 300 GPD TFC Membrane element (2)
- Pressure Gauge for pre-filter pressure monitoring.
- Floor or wall mountable.
- AQUATROL™ 36V Pump (2)

FLOW CHARACTERISTICS

